

Product number:	LDWS1000G2HHL2
Product type:	Wireless Microphone Set, Handheld transmitter
Type:	true diversity
Transmission frequency range:	863.000 - 865.000MHz, 823.000 - 832.000MHz, 863.000MHz, 823.000MHz
Weight:	2.62kg, 0.25kg

LDWS1000G2MD - Dynamic Handheld Microphone

Channels:	96 (8 groups of 12 channels)
Microphone type:	dynamic
Directivity:	cardioid
Frequency response:	60Hz
Rated HF output power:	10 mWmW
Controls:	Power On/Off
Display:	LC display
Operating voltage:	2 x 1.5 V AA
Operating time:	up to 13 hrs., battery-dependent
Length:	252mm
Diameter:	52mm
Other features:	incl. batteries

LDWS100ML - Lavalier Microphone

Product type:	Lavalier Microphone
Type:	Back electret condenser
Frequency response:	20Hz
Directivity:	cardioid

Nominal impedance:	680Ohm(s)
Phantom power requirements:	5V
Microphone input:	mini-XLR (3-pin, female)
Accessories (included):	Foam windscreen, attaching clip
Weight:	0.04kg

LDWS1000G2BP - Belt Pack Transmitter

Product type:	Pocket transmitter
Transmission frequency range:	863.000MHz, 823.000MHz
Channels:	96 (8 groups of 12 channels)
Inputs:	Mini-XLR (3-pin)
Frequency response:	60Hz
Rated HF output power:	10 mWmW
Controls:	Power On/Off
Display:	LC display
Operating voltage:	2 x 1.5 V AA
Operating time:	up to 13 hrs., battery-dependent
Width:	65mm
Height:	90mm
Depth:	24mm
Weight:	0.09kg
Other features:	incl. batteries

LDWS1000G2R2 - Dual Receiver

Product type:	Double wireless receiver
Type:	true diversity

Modulation Type:	FM
Transmission frequency range:	863.000MHz, 823.000MHz
Channels:	2 x 96 (8 groups of 12 channels)
Antenna inputs:	2
Antenna connector:	TNC
Frequency response:	60Hz
Noise reduction:	squelch
Audio output, balanced:	2 x XLR - 12 dBV (600 ohms) / 6.3 mm TRS - 18 dBV (3 kohms)
Controls:	ASC, set, down, Power On/Off, up
Display:	2 x 6-segment RF (A/B), antenna active (A/B), 7-segment AF, LC display
Operating voltage:	12 - 18 V DC
Width:	483mm
Height:	44mm
Depth:	190mm
Weight:	2.24kg
Accessories (included):	batteries